

## Freeform Search

---

Database: US Pre-Grant Publication Full-Text Database  
US Patents Full-Text Database  
US OCR Full-Text Database  
EPO Abstracts Database  
JPO Abstracts Database  
Derwent World Patents Index  
IBM Technical Disclosure Bulletins

Term: L20 and (calibrat\$3 or reference signal or  
reference temperature)

Display: 10 Documents in Display Format: - Starting with Number 1

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

---

Search

Clear

Interrupt

---

### Search History

---

DATE: Monday, March 07, 2005   [Printable Copy](#)   [Create Case](#)

<u>Set</u> <u>Name</u> <u>Query</u> side by side	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB; PLUR=YES; OP=ADJ</i>		
<u>L21</u> L20 and (calibrat\$3 or reference signal or reference temperature)	113	<u>L21</u>
<u>L20</u> L19 and (temperature or thermal)	313	<u>L20</u>
<u>L19</u> L18 and "ring oscillator"	786	<u>L19</u>
<u>L18</u> (374/1,170,171,163;702/99,130,133;716/4;331/57;327/512,513;377/25)![CCLS]	7818	<u>L18</u>
<i>DB=PGPB; PLUR=YES; OP=ADJ</i>		
<u>L17</u> 20030158683	1	<u>L17</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>		
<u>L16</u> L15 and "douglass"	18	<u>L16</u>
<u>L15</u> L13 and "oscillator"	1492	<u>L15</u>
<u>L14</u> L13 and "ring oscillator"	36	<u>L14</u>
<u>L13</u> 374/\$	25867	<u>L13</u>
<u>L12</u> oscillat\$3 correspond\$3 reference or oscilat\$3 correspond\$3 calibrat\$3	17	<u>L12</u>
<u>L11</u> oscillat\$4 signal correspond\$3 reference signal	0	<u>L11</u>
<u>L10</u> L9 and (frequency count or clock count)	27	<u>L10</u>
<u>L9</u> L8 and (calibrat\$3 or reference or standard)	378	<u>L9</u>

<u>L8</u>	L7 and (temperature or thermal)	389	<u>L8</u>
<u>L7</u>	L6 and "ring oscillator"	921	<u>L7</u>
<u>L6</u>	331/57	1728	<u>L6</u>
<u>L5</u>	(ring oscillator) same (temperature) and (calibrat\$3)	103	<u>L5</u>
<u>L4</u>	(ring oscilator) same (calibrat\$3 or compensat\$3 or reference or standard) same (frequency) same (temperature)	0	<u>L4</u>
<u>L3</u>	5701667.pn.	2	<u>L3</u>
<u>L2</u>	5451885.pn.	2	<u>L2</u>
<u>L1</u>	5392219.pn.	2	<u>L1</u>

END OF SEARCH HISTORY

## Freeform Search

---

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	(ring oscillator) same (reference temperature or ambient temperature or room temperature or standard temperature) same (frequency)
Display:	10 Documents in <u>Display Format</u> : - Starting with Number 1
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

---

---

### Search History

---

DATE: Monday, March 07, 2005    [Printable Copy](#)    [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L2</u>	(ring oscillator) same (reference temperature or ambient temperature or room temperature or standard temperature) same (frequency)	48	<u>L2</u>
<u>L1</u>	rature or standard temperature(ring oscillator) same (reference temperature) same (frequency)	49	<u>L1</u>

END OF SEARCH HISTORY